

This means that a valuable tool that has not been properly conceived, developed, and analyzed may result in a false sense

---

---

exceeds the limitations of the numerical method or the code (software).

To determine the model origin, we must ask, "What is the main objective of developing the numerical model?"

Then we add questions to help frame the scope of the model, such as, "Why are we developing the model? What result will guide me on the next steps? Do acceptable thresholds exist for the expected result?"





---

### About the Author

---

Rafael Prieto, Ph.D., PE, is a Chief Geotechnical Engineer at Gannett Fleming. Rafael can be reached at [rprieto@gfnet.com](mailto:rprieto@gfnet.com).

---

### About the Article

---

Republished from the online [Gannett Fleming Blog](#). Founded in 1915, [Gannett Fleming](#) has been a driving force in shaping infrastructure and improving communities in more than 65 countries, specializing in natural resources, transportation, water, power, and facility-related projects. The company embraces sustainability and innovation in projects and internal activities and achieves results while being responsible stewards of the environment. A results-driven firm, Gannett Fleming is consistently ranked in the top one percent of engineering firms worldwide.

Any views and opinions expressed in this article may or may not reflect the views and opinions of the Construction Management Association of America (CMAA). By publishing this piece, CMAA is not expressing endorsement of the individual, the article, or their association, organization, or company.